

L Number	Hits	Search Text	DB	Time stamp
-	0	"hidden shipping address"	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:29
-	0	"Secret shipping address"	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:29
-	<i>Read</i> 2	"proxy shipping address"	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:30
-	0	"proxy identity" and "alias identity"	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:30
-	<i>Read</i> 17	Anonymous\$4 near2 ship\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:31
-	1641	(proxy alias Pseudonym) same identity	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:32
-	1722	ship\$ near3 address	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:41
-	0	20040083184.URPN. (ship\$ near3 address) same (anonymous or hidd\$4)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/16 18:37
-	<i>title</i> 63		USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/14 12:42
-	<i>Read</i> 8	(ship\$ near3 address) same (anonymous or hidd\$4) same encrypt\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:16
-	<i>Abstract</i> 33	(ship\$ near3 address) same (anonymous or hidd\$4) and encrypt\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:24
-	<i>Read</i> 3	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:26
-	<i>Read</i> 7	(forward\$4 or transmit\$4 or email\$4 or send\$4) adj (ship\$5 adj address)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 08:27

-	<i>Read</i> 7	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) adj (ship\$5 adj address))	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:30
-	<i>File</i> 68	(forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:30
-	<i>Abstract</i> 9	((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) same encrypt\$4	USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/08/17 08:31
-	<i>Abstract</i> 23 <i>Abstract</i> 14 <i>Title</i> 47	5825881.URPN. 5825881.URPN. and encrypt\$4 ((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) or (((forward\$4 or transmit\$4 or email\$4 or send\$4 or convey\$3) near3 (ship\$5 adj address)) same encrypt\$4) or 5825881.URPN. or (5825881.URPN. and encrypt\$4)	USPAT; USPAT; USPAT	2004/08/17 08:34 2004/08/17 08:36 2004/08/17 09:08
-	<i>Read</i> 2 <i>Title</i> 33	6332134.URPN. ("5465206"   "5602918"   "5621797"   "5671279"   "5671280"   "5704046"   "5715399"   "5727163"   "5732400"   "5745886"   "5757917"   "5758327"   "5787403"   "5790677"   "5822737"   "5826241"   "5839119"   "5878139"   "5883810"   "5890137"   "5940811"   "5949044"   "5952638"   "5956699"   "5960411"   "5987140"   "5991750"   "5996076"   "5999596"   "6000832"   "6002767"   "6049785"   "6169974").PN. ("5465206"   "5602918"   "5621797"   "5671279"   "5671280"   "5704046"   "5715399"   "5727163"   "5732400"   "5745886"   "5757917"   "5758327"   "5787403"   "5790677"   "5822737"   "5826241"   "5839119"   "5878139"   "5883810"   "5890137"   "5940811"   "5949044"   "5952638"   "5956699"   "5960411"   "5987140"   "5991750"   "5996076"   "5999596"   "6000832"   "6002767"   "6049785"   "6169974").PN.) and ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 address)	USPAT USPAT	2004/08/17 09:07 2004/08/17 09:07
-	<i>Read</i> 1	encrypt\$4) near3 address) (blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near3 (ship\$5 address) (blind\$4 or mask\$4 or hid\$5 or encrypt\$4) near2 (ship\$5 address) (blind\$4 or mask\$4 or hid\$5 or encrypt\$4) adj (ship\$5 address) (blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address) electronic adj shop\$4 e-commerce or e-commerce or (electronic commerce) or (online adj shopping) ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (e-commerce or e-commerce or (electronic commerce) or (online adj shopping)) and encrypt\$4 e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping) ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping)) and ("6049785"   "6126069"   "6205436").PN.	USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT USPAT	2004/08/17 09:09 2004/08/17 09:10 2004/08/17 09:10 2004/08/17 09:11 2004/08/17 09:11 2004/08/17 09:11 2004/08/17 09:12 2004/08/17 09:14 2004/08/17 09:14 2004/08/17 09:14
-	<i>File</i> 75	((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (e-commerce or e-commerce or (electronic commerce) or (online adj shopping)) and encrypt\$4	USPAT	2004/08/17 09:14
-	<i>Read</i> 2772 3	e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping) ((blind\$4 or mask\$4 or hid\$5 or encrypt\$4 or Anonymous\$4) adj (ship\$5 address)) and (e-commerce or e-commerce or (electronic adj commerce) or (online adj shopping)) and ("6049785"   "6126069"   "6205436").PN.	USPAT USPAT	2004/08/17 09:15 2004/08/17 09:15
-	<i>Read</i> 3 0	200153971.URPN.	USPAT USPAT	2004/08/17 09:18 2004/08/17 09:29

-	<i>Read</i> 9	(ship\$5 adj (address or location)) near\$2 encrypt\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	<i>Read</i> 2	("5790665").PN.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 10:57
-	<i>File</i> 146	283/17.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:19
-	<i>File</i> 193	705/50.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	409	705/64.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	<i>File</i> 85	705/74.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:20
-	808	283/17.ccls. or 705/50.ccls. or 705/64.ccls. or 705/74.ccls.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	2769	(ship\$5 adj (address or location))	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:21
-	<i>Read</i> 1	(ship\$5 adj (address or location)) near blind\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:22
-	<i>Read</i> 1	(ship\$5 adj (address or location)) near\$3 blind\$4	USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 12:18
-	<i>Read</i> 0	20020007318.URPN. (("6748366") or ("5420926") or ("6006200")).PN.	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 11:23 2004/08/17 12:22
-	0	09/129826	USPAT; IBM_TDB USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/08/17 12:22



-	Abstract 16	0	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car")	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:15
-	Abstract 24	0	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:32
-	Read 2	2	((proxy alias Pseudonym) same identity) near4 ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:35
-	Abstract 15	0	20030100292.URPN. ((proxy alias Pseudonym) same identity) WITH ("smart card" or "ic card" or "integrated circuit car" or wallet)	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:35 2004/09/13 16:41
-	Read 5 4,416	5 54	6085081.URPN. privacy adj card	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:39 2004/09/13 16:59
-	0	0	("Anonymous shipping" or "proxy identity" or "alias identity" or ((proxy alias Pseudonym) same identity) and (ship\$ near3 address))) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:42
-	1670	1670	((proxy alias Pseudonym) same identity)	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:42
-	1743	1743	ship\$ near3 address	USPAT; USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:43
-	0	0	((((proxy alias Pseudonym) same identity) ) and (privacy adj card)) and ((ship\$ near3 address) and (privacy adj card))	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:43
-	Abstract 23	23	(ship\$ near3 address) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/14 12:45
-	Read 9	9	((proxy alias Pseudonym) same identity) ) and (privacy adj card)	USPAT; US-PGPUB; DERMENT; IBM_TDB	2004/09/13 16:45
-	0	0	"single use credit card"	USPAT; USPAT; US-PGPUB; EPO; DERMENT; IBM_TDB	2004/09/13 17:00

-	0	((single adj use) near3 card) and walker.in.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 17:01
-	19204	walker.in.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 17:02
-	0	walker.in. and (single adj use)	US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:42
-	File 54	"5768382"	US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:42
-	Read 2	("5768382").PN.	US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:48
-	Read 10	((("4707592") or ("6006200") or ("6000832") or ("6163771") or ("5657388"))).PN.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 18:50
-	Read 2	("6029150").PN.	US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/13 22:22
-	Absent <sup>23</sup>	((ship\$4 or Deliver\$4) near3 address) and (privacy adj card)	IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 14:33
-	Read 2	"third party privacy system"	US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/14 14:33
-	318	encrypt\$ with level with select\$	US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2004/09/15 13:32
-	Read 1	(encrypt\$ with level with select\$) and ((ship\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)	DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB	2004/09/15 13:22



-	1321	mult\$5 with level with security	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; USPAT	2004/09/15 18:24
-	4/11/103	((ship\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4)		2004/09/15 18:26
-	Read 1	(mult\$5 with level with security) and ((ship\$ or Deliver\$4) near3 address) same (anonymous or hidd\$4))		2004/09/15 18:26
-	Read 8	20020029248.URPN. ((encrypt\$ or algorithm) with level with select\$) with (session with (id or identifier or identification or number or code))		2004/09/15 18:30 2004/09/16 12:01
-	Read 11	((encrypt\$ or algorithm) with level with select\$) same (session with (id or identifier or identification or number or code))		2004/09/16 12:09
-	682	(mult\$5 adj (level or status or category or rank)) near3 (security or protection)		2004/09/16 12:13
-	617	(mult\$5 adj (level or status or category or rank)) near2 (security or protection)		2004/09/16 12:33
-	4/11/88	(mult\$5 adj (level or status or category or rank)) near2 (security or protection) same (encrypt\$4 or algorithm)		2004/09/16 12:36
-	Read 4	((mult\$5 adj (level or status or category or rank)) near3 encrypt\$4 ) and ((mail\$5 or delivery or ship\$5) adj address)		2004/09/16 12:38
-	4/11/131	(mult\$5 adj (level or status or category or rank)) near3 encrypt\$4		2004/09/16 12:55
-	Read 0	6598161.URPN. 6128735.URPN.		2004/09/16 12:45 2004/09/16 12:50



-	0	((mult\$ adj (level or status or category or rank)) near3 encrypt\$4) near4 (personal adj (information or data))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/09/16 12:56
-	<i>Rend</i> 2	("5903652").PN.		2004/09/16 23:25
-	<i>Rend</i> 1	((("5903652").PN.) and (address or added or "P.O.Box" or "Post Office Box"))		2004/09/16 23:27